Samsung original printing supplies

Value, performance and high-quality output designed for Samsung print, fax and multifunction printer devices

BROCHURE

SAMSUNG

Produce brilliant, evenly printed color on high-quality prints.

Samsung printing supplies offer performance, economy and quality

To thrive in today's economic, environmental and business climate, companies need low-cost, high-performance, quality output from their printers. Samsung printing supplies are uniquely designed to work with Samsung printers to produce optimal print quality with sharp, clear output from the first print to the last print. Samsung printing supplies offer:

- **Value for your overall business printing supply needs.** Smart business managers know that printing costs include more than just the initial purchase price of printing supplies. Printing costs also include hidden expenses for maintenance, reprints and multiple printed pages. Even when the initial cost of original supplies is higher than the expense of remanufactured products, hidden factors, such as the quality, number of printed pages and print cartridge reliability, render the original supplies more economical.



Figure 1. Visible and hidden costs

- **Additional savings from extended printer life.** Cartridge defects can be harmful to printers, causing increased printer down time and reduced efficiency. Your company can rely on Samsung original printer supplies to protect and extend the life of your printers.
- **Professional prints to reflect your company image.** Samsung original printer supplies produce brilliant, evenly printed color on high-quality prints. To ensure a consistently high print-output level, Samsung regularly tests quality from the first to last printed pages.

Samsung	Remanufactured	Key differences
		Visible cost Red dots are printed on the document background.
		Smudge Yellow streaks and smudges print across the document.
		Smudge Red streaks and smudges print across the document.
		Streaks During printing, image density is inconsistent and horizontal and vertical lines appear.
		Uneven fill The printed characters are blurry and faded so the text cannot be read.

Figure 2. Comparison of print quality between Samsung and remanufactured print supplies

- **Durability to preserve your organization's printed data.** Strong toner adhesion from Samsung original supplies helps to ensure that your company's valuable documents can be preserved for many years. Samsung prints can be handled immediately after printing without the risk of smudging or other damage. By contrast, remanufactured cartridges fail to achieve the necessary degree of toner melting during the fusing process, thus reducing document longevity and durability.

Samsung explores every opportunity to minimize environmental impact.

Greener print management helps sustain the environment

As members of the business community and responsible citizens of the world, Samsung strives to contribute positively to the health of the planet and to human societies. The solution is simple: a totally "green" culture for the entire Samsung print business.

Green management

The Samsung management team created an advanced environment, health and safety system designed to cultivate the development of greener print products, processes and workplaces to positively influence local communities.

Green products

When considering an organization's environmental impact, it is no longer sufficient to think only of reduced energy consumption. Using a proprietary Life Cycle Assessment (LCA) and specialized eco-design system, Samsung designers consider the entire process from raw material extraction and printer usage to end-of-life disposal to create more environmentally friendly products.

Green processes

Samsung investigates each stage of the production process, striving to develop greener, more eco-friendly technologies and facilities. The company ensures that every opportunity to minimize environmental impact is explored, from better management of hazardous substances to maximized energy efficiency.

A continuous, environmentally aware printer life cycle

Samsung produces environmentally conscious products and uses minimal resources to develop compact, lightweight products that deliver high performance. Samsung is committed to the careful use of chemicals to minimize risk to customers and the environment.

A leading eco-friendly company

Samsung has gained worldwide recognition as one of the leading companies taking responsibility in preserving the environment.

Samsung energy-saving and green product awards:

- 2008 Standby Power Efficient Corporation, by the Consumers Korea
- 2008 National Environment Management Award, Samsung printer and printer MFP, by Ministry of Environment, Republic of Korea
- 2008 "Energy Winner Award," Samsung CLP-310 series, CLX-3170 Series standby power efficient, by the Consumers Korea
- 2007 "Energy Winner Award," excellent standby power efficient products, by the Consumers Korea
- 2007 "Energy Winner Award," excellent corporation for green product of standby power efficient, by the Consumers Korea
- 2008 Korea Green Management Excellence Awards, best environmentally friendly corporations
- 2007 Korea Green Management Excellence Awards, No.1 Green products for Color Laser MFP
- 2006 Korea Green Management Excellence Awards, No.1 Green products for Toner Cartridges

Polymerized toner protects against paper jams.

Samsung polymerized toner creates durable, economical, quality prints

The polymerized toner in Samsung printing supplies is manufactured using small, uniform toner particles to create sharper images and lines. The high wax content of the toner maximizes the image gloss and durability, and protects prints against creases and smudges. Because the printer transfers the polymerized toner to the paper in a thinner, more uniform layer, a lower fusing temperature is required and waste is reduced. This process results in less paper curling and protects against paper jams. Polymerized toner is also eco-friendly because its manufacturing process emits a smaller amount of carbon dioxide (CO_2) and uses less power.

What is polymerized toner?

Polymerized toner, also known as chemical toner, is a type of toner that is created by growing particles in water using a chemical reaction (aggregation) in which the size of the particles can be controlled to produce smaller, uniform toner particles. In contrast, the conventional toner manufacturing process melts plastic materials (resin, pigment, wax) together and cools them into a brick, which is then mechanically crushed to form non-uniform toner particles.



Figure 9. Differences between polymerized toner and regular toner

Higher transfer efficiency minimizes toner waste.

Polymerized toner provides superior quality prints

Samsung polymerized toner offers eco-friendly, high-quality prints that offer:

Superior image quality

Small size (6.7㎛*) and spherical (circularity**of 0.972) toner particles distribute more uniformly, which results in better image resolution and more accurate colors.



* ㎛ = 1/1,000 mm, human hair = 100~120 ㎛
** Circularity: the closer to "1," the more perfect the sphere

Figure 3. Image quality comparison between Samsung polymerized toner and conventional toner

Reduced power consumption

High transfer efficiency creates a thin, uniform toner layer, which enables the printer to use a lower fusing temperature (reducing power consumption) and to minimize toner waste.



Figure 4. Reduced power consumption when compared with conventional toner

Eco-friendly manufacturing process

The polymerized toner manufacturing process uses 35 percent less electricity than the conventional toner process.



Figure 5. Comparison of manufacturing process power usage

Decreased paper curl diminishes the occurrence of paper jams.

Durability

The improved fusing ability of polymerized toner reduces the image destruction that is caused by an image sticking to the back of another page in a folded paper or stack.



Figure 6. Durability comparison between Samsung polymerized toner and conventional toner

Improved gloss and color gamut range.

The core and shell structure and functional ingredients of polymerized toner particles improve the gloss and color gamut range.



Figure 7. Better gloss and color gamut range

Reduction of paper curl

The fused layer of polymerized toner is 20 percent thinner than that of conventional toner, and the wax layer is twice as thick. These features decrease paper curl, and reduce the possibility of paper jams.



Figure 8. A thinner toner layer for reduced paper curl

In a BLI test, Samsung cartridges ran to exhaustion with no toner spill.

BLI Toner Comparative Test results

In May 2011, Buyers Laboratory (BLI) conducted a comparative test of new Cyan-Magenta-Yellow-Black (CMYK) Samsung laser printer toner cartridges against a set of unbranded, "compatible" CMYK cartridges. All cartridges were tested for yield, reliability and image quality running on Samsung devices.

During the BLI test, all Samsung cartridges ran to exhaustion with no evidence of toner spill inside the devices. However, the "compatible" cartridges experienced several chip failures and instances of toner spillage that contaminated other toner cartridges and the imaging.

BLI analysts commented that there was an added risk of device damage due to the poor remanufacturing process of the "compatible" cartridges.

The Samsung cartridges outperformed the "compatible" cartridges in virtually all areas of image-quality analysis, and delivered a larger color gamut, richer solids, more consistent color reproduction and a glossier finish.



Figure 10. BLI Custom Test Report, May 2011

	Samsung toner	"Compatible toner"
Advantage	–	–
Color gamut	✓	–
Color consistency	✓	–
Gloss measurement	✓	–
Image density	✓	–
Two-dimensional background noise	–	✓
Text quality	No clear advantage measured (but Samsung toner shows superior image quality under magnification)	
Photographic reproduction	No clear advantage measured (but Samsung toner shows superior image quality under magnification)	
Toner adhesion	✓	–
Fuser offset	No clear advantage measured (but Samsung toner shows superior image quality under magnification)	
Line quality	No clear advantage measured (but Samsung toner shows superior image quality under magnification)	
Fine detail	No clear advantage measured (but Samsung toner shows superior image quality under magnification)	
Halftone reproduction	No clear advantage measured (but Samsung toner shows superior image quality under magnification)	
Halftone gradation consistency	✓	–

Table 1. Image quality summary

Counterfeit supplies fail to produce the same results as original print supplies.

Samsung original printing supplies provide optimal performance

Toner cartridge technology is the core element of quality image creation. Using verified original cartridges keeps your company's printers in top condition and produces superior-quality documents.

Figure 11. A Samsung printer used with Samsung original supplies produces high-quality documents.

Genuine versus counterfeit printing supplies

A counterfeit is an imitation product that is made to deceive the buyer who purchases it. Counterfeit products are manufactured illegally by copying the design, brand or trademark without the permission of the original manufacturer or the owner of the registered trademark.

Counterfeit printing supplies are designed and packaged to look similar to original printing supplies. However, even though the packaging and trademark might seem to be identical to the original brands, the cartridges might be recycled, remanufactured or illegally produced. The printing supply industry has a greater chance of counterfeiting than some other industries because of the legitimate recycled and remanufactured products on the printing supply market.

Counterfeit printing supplies are a risk to the companies that purchase them in the following ways:

- **Potential for printer quality problems and damage to printers.** Original cartridges undergo quality assurance procedures and endurance tests designed to ensure that they optimize print quality and minimize printer downtime. Most counterfeit cartridges are not subject to quality or endurance testing processes and, as a result, might cause print quality problems or damage printers.
- **Possibility of health-hazardous materials.** Counterfeit cartridge producers do not abide by regulations for human health and environment, such as Restriction of Hazardous Substances (RoHS) or Material Safety Data Sheet (MSDS) disclosures. To maximize profits, a significant percentage of counterfeit cartridge manufacturers use cheap, hazardous materials, such as toxic toner powder. Imperfect sealing or packing can cause toner powder to leak and subject users to inhaling the toxic substance as they use the cartridges.
- **Wasted money.** Counterfeit supplies might cost the same as original supplies but might not produce the same print results. Counterfeit supplies do not offer quality guarantees, safety assurances, warranties and other services. As a result, users of counterfeit products waste time and money by reprinting documents and repurchasing supplies.

Samsung original printer cartridges protect your company's printers.

Counterfeit printing supplies are a risk to dealers and other sales channels in the following ways:

- **Legal risk.** Dealers who handle, import, distribute or sell counterfeit products face civil or criminal charges or punishment under the intellectual property protection laws of each nation. They can be required to compensate for economic damages, especially by intellectual property right holders.
- **Buyer complaints.** A buyer might realize that a product is counterfeit and either complain or instigate legal action.
- **Undermined credibility.** Quality issues of counterfeit products can damage trust with business partners.

Security labels

Samsung original printing supplies use two types of verification security labels:

1. **Verification of color changing film.** The label changes color when viewed from different positions.
2. **Verification of color changing, embossed Samsung Logo.** Embossed characters in the Samsung logo change color between red-gold and blue when viewed from different angles. Embossed characters can be verified by feeling the texture.

Samsung original printer cartridges passed a recent reliability test with a 100 percent reliability rating. Up to 41 percent of the remanufactured printer cartridges failed the reliability test.[1]

Samsung original printing supplies provide high-quality print output.

Samsung printing supplies are designed to work with Samsung printers to produce high value and optimal print quality. They offer brilliant, evenly printed color and durability. Samsung printing supplies are more economical than remanufactured supplies because they reduce hidden expenses, such as maintenance and reprinting costs, and extend the life of printers. Using eco-friendly Samsung printing supplies, built with Samsung greener print products, processes and workplaces, helps your company sustain the environment as well as your bottom line.

Contents

Color laser printer supplies 12
- CLP-300 / 300N 12
- CLP-320 / 320N / 325 / 325W 13
- CLP-310 / 310N / 315 / 315W 14
- CLP-320 / 320N / 325 / 325W 15
- CLP-500 / 500N / 550 / 550N 16
- CLP-510 / 510N 17
- CLP-600 / 600N / 650 / 650N 18
- CLP-610ND / 660N / 660ND 19
- CLP-620ND / 670N / 670ND 20
- CLP-770ND 21
- CLP-775ND 22

Color multifunction printer supplies 23
- CLP-775ND 23
- CLX-3170FN / 3175N / 3175FN / 3175FW 24
- CLX-3185 / 3185N / 3185FN / 3185FW 25
- CLX-6200ND / FX / 6210FX / 6240FX 26
- CLX-6220FX / 6250FX 27
- MultiXpress C8380ND 28
- MultiXpress C8385ND 29
- MultiXpress C9250ND / C9350ND 30
- ML-1010 31
- ML-1210 / 1220M / 1250 31
- ML-1430 31
- ML-1500 / 1510 31
- ML-1520 31
- ML-1620 / 1625 / 1625R 32
- ML-1620 / 1625 / 1625R 32
- ML-1630 / 1630W 32
- ML-1640 32
- ML-1660 / 1665 / 1670 / 1675 / 1860 / 1865 / 1865W 32
- ML-1710 / 1710P / 1750 33
- ML-1740 33
- ML-2010R / 2010PR / 2015 33
- ML-2150 / 2151N / 2152W 33
- ML-2160 / 2165 / 2165W 33
- ML-2240 34
- ML-2245 34
- ML-2250 / 2251N / 2251NP / 2252W 34
- ML-2510 / 2570 / 2571N 34
- ML-2510 / 2570 / 2571N 34
- ML-2550 / 2551N / 2552W 35
- ML-1910 / 1915 / 2525 / 2580N / 2525W 35
- ML-2850D / 2851ND 35
- ML-2855ND 35
- ML-2950ND / 2955ND / 2955DW 36
- ML-3050 / 3051N / 3051ND 36
- ML-3310D / 3310ND 36
- ML-3710D / 3710ND / 3710DW 37
- ML-3710D / 3710ND / 3710DW 37
- ML-3560 / 3561N / 3561ND 37
- ML-3560 / 3561N / 3561ND 38
- ML-4050N 38
- ML-4550R / 4551NR / 4551NDR 38
- ML-4510ND / 5010ND / 5015ND / 4512ND / 5012ND / 5017ND 39
- ML-5510N / 5510ND / 6510ND 39

Color laser printer supplies

CLP-300 / 300N

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLP-C300A	Color	Cyan toner cartridge	1,000 standard pages*	64 mm x 64 mm x 93 mm (2.52 in. x 2.52 in. x 3.66 in.)	CLP-300 / 300N
CLP-M300A	Color	Magenta toner cartridge	Average 1,000 standard pages*	64 mm x 64 mm x 93 mm (2.52 in. x 2.52 in. x 3.66 in.)	CLP-300 / 300N CLX-3160N / 3160FN
CLP-Y300A	Color	Yellow toner cartridge	Average 1,000 standard pages*	64 mm x 64 mm x 93 mm (2.52 in. x 2.52 in. x 3.66 in.)	CLP-300 / 300N CLX-2160 / 2160N, 3160N / 3160FN
CLP-K300A	Color	Black toner cartridge	Average 2,000 standard pages*	80 mm x 80 mm x 95 mm (3.15 in. x 3.15 in. x 3.74 in.)	CLP-300 / 300N CLX-2160 / 2160N, 3160N / 3160FN
CLP-R300A	Color	Imaging unit	Black and white average 20,000 pages†	304 mm x 264 mm x 150 mm (11.97 in. x 10.39 in. x 5.91 in.)	CLP-300 / 300N / 2160 / 2160N
CLP-W300A	Color	Waste toner container	Black and white average 5,000 pages† Color average 1,250 pages†	107 mm x 92.5 mm x 132 mm (4.21 in. x 3.64 in. x 5.2 in.)	CLP-300 / 300N / 2160 / 2160N CLX-3160N / 3160FN
CLP-P300C	Color	Value pack (C+M+Y+K)	Cyan, magenta, yellow toner average 1,000 standard pages* Black toner average 2,000 standard pages*	206 mm x 210 mm x 107 mm (8.11 in. x 8.27 in. x 4.21 in.)	CLP-300 / 300N / 2160 / 2160N / CLX-3160N / 3160FN

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

CLP-320 / 320N / 325 / 325W

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLT-C407S / CLT-C4072S (EU)	Color	Cyan toner cartridge	Average 1,000 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-320 / 320N, 325 / 325W CLX-3185FN / FW, 3185 / N / W
CLT-M407S / CLT-M4072S (EU)	Color	Magenta toner cartridge	Average 1,000 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-CLP-320 / 320N, 325 / 325W CLX-3185 / N / W, 3185FN / FW
CLT-Y407S / CLT-Y4072S (EU)	Color	Yellow toner cartridge	1,000 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-325 / 325W, CLP-320 / 320N CLX-3185 / N / W, 3185FN / FW
CLT-K407S / CLT-K4072S (EU)	Color	Black toner cartridge	Average 1,500 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-325 / 325W, 320 / 320N CLX-3185 / N / W, 3185FN / FW
CLT-R407	Color	Imaging unit	Black and white average 24,000 pages† Color average 6,000 pages†	339 mm x 174 mm x 298 mm (13.35 in. x 6.85 in. x 11.73 in.)	CLP-320 / N, 325 / W CLX-3185 / N / W, 3185FN / FW
CLT-P407C CLT-P4072C (EU)	Color	Value pack (C+M+Y+K)	Black and white average 1,500 pages† Color average 1,000 pages†	372 mm x 302 mm x 203 mm (14.65 in. x 11.89 in. x 7.99 in.)	CLP-320 / 320N, 325 / 325W CLX-3185 / 3185N / 3185W, 3185FN / 3185FW
CLT-P407B CLT-P4072B (EU)	Color	Value pack (K+K)	Black and white average 1,500 standard pages 4 x 2	372 mm x 302 mm x 203 mm (14.65 in. x 11.89 in. x 7.99 in.)	CLP-320 / 320N, 325 / 325W CLX-3185 / 3185N / 3185W, 3185FN / 3185FW
CLP-C350A	Color	Cyan toner cartridge	Average 2,000 standard pages*	143 mm x 60 mm x 59 mm (5.63 in. x 2.36 in. x 2.32 in.)	CLP-350N
CLP-M350A	Color	Magenta toner cartridge	Average 2,000 standard pages*	143 mm x 60 mm x 59 mm (5.63 in. x 2.36 in. x 2.32 in.)	CLP-350N
CLP-Y350A	Color	Yellow toner cartridge	Average 2,000 standard pages*	143 mm x 60 mm x 59 mm (5.63 in. x 2.36 in. x 2.32 in.)	CLP-350N
CLP-K350A	Color	Black toner cartridge	Average 4,000 standard pages*	143 mm x 92 mm x 85 mm (5.63 in. x 3.63 in. x 3.35 in.)	CLP-350N
CLP-R350A	Color	Imaging unit	Black and white average 20,000 pages† Color average 11,500 pages†	306 mm x 145 mm x 300 mm (12.05 in. x 5.71 in. x 11.81 in.)	CLP-350N
CLP-W350A	Color	Waste toner container	Black and white average 5,000 pages†	150 mm x 148 mm x 109 mm (12.05 in. x 5.71 in. x 11.81 in.)	CLP-350N

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
¢ Declared yield value in accordance with ISO / IEC 19798
† This may vary depending on average area coverage.

Color laser printer supplies

CLP-310 / 310N / 315 / 315W

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLT-C409S / CLT-C4092S (EU)	Color	Cyan toner cartridge	Average 1,000 standard pages*	340 mm x 196 mm x 73 mm (13.39 in. x 7.72 in. x 2.87 in.)	CLP-310 / 310N, 315 / 315W CLX-3170FN, 3175 / N / FN / FW
CLT-M409S / CLT-M4092S (EU)	Color	Magenta toner cartridge	Average 1,000 standard pages*	340 mm x 196 mm x 73 mm (13.39 in. x 7.72 in. x 2.87 in.)	CLP-310 / 310N, 315 / 315W CLX-3170FN, 3175 / N / FN / FW
CLT-Y409S / CLT-Y4092S (EU)	Color	Yellow toner cartridge	Average 1,000 standard pages*	340 mm x 196 mm x 73 mm (13.39 in. x 7.72 in. x 2.87 in.)	CLP-310 / 310N, 315 / 315W CLX-3170FN, 3175 / N / FN / FW
CLT-K409S / CLT-K4092S (EU)	Color	Black toner cartridge	Average 1,500 standard pages*	340 mm x 196 mm x 73 mm (13.39 in. x 7.72 in. x 2.87 in.)	CLP-310 / 310N, 315 / 315W CLX-3170FN, 3175 / N / FN / FW
CLP-R409	Color	Imaging unit	Black and white average 24,000 pages† Color average 6,000 pages†	339 mm x 174 mm x 298 mm (13.35 in. x 6.85 in. x 11.73 in.)	CLP-310 / N, 315 / W CLX-3170FN, 3175 / N / FN / FW
CLP-W409	Color	Waste toner container	Black and white average 10,000 pages† Color average 2,500 pages†	119 mm x 73 mm x 170 mm (4.69 in. x 2.87 in. x 6.69 in.)	CLP-310 / N, 315 / W, 320 / N, 325 / W CLX-3170FN, 3175 / N / FN / FW, 3185 / N, 3185FN / FW
CLT-P409B CLT-P4092B (EU)	Color	Value pack (K+K)	Black average 1,500 standard pages x 2	518 mm x 239 mm x 339 mm (20.39 in. x 9.41 in. x 13.35 in.)	CLP-310 / N, 315 / W CLX-3170FN, 3175 / N / FN / FW
CLT-P409C CLT-P4092C (EU)	Color	Value pack (C+M+Y+K)	Black and white average 1,500 pages† Color average 1,000 pages†	446 mm x 405 mm x 301 mm (17.56 in. x 15.94 in. x 11.85 in.)	CLP-310 / N, 315 / W CLX-3170FN, 3175 / N / FN / FW

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

CLP-320 / 320N / 325 / 325W

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLT-C407S / CLT-C4072S (EU)	Color	Cyan toner cartridge	Average 1,000 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-320 / 320N, 325 / 325W CLX-3185FN / FW, 3185 / N / W
CLT-M407S / CLT-M4072S (EU)	Color	Magenta toner cartridge	Average 1,000 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-CLP-320 / 320N, 325 / 325W CLX-3185 / N / W, 3185FN / FW
CLT-Y407S / CLT-Y4072S (EU)	Color	Yellow toner cartridge	1,000 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-325 / 325W, CLP-320 / 320N CLX-3185 / N / W, 3185FN / FW
CLT-K407S / CLT-K4072S (EU)	Color	Black toner cartridge	Average 1,500 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-325 / 325W, 320 / 320N CLX-3185 / N / W, 3185FN / FW
CLT-R407	Color	Imaging unit	Black and white average 24,000 pages† Color average 6,000 pages†	339 mm x 174 mm x 298 mm (13.35 in. x 6.85 in. x 11.73 in.)	CLP-320 / N, 325 / W CLX-3185 / N / W, 3185FN / FW
CLT-P407C CLT-P4072C (EU)	Color	Value pack (C+M+Y+K)	Black and white average 1,500 pages† Color average 1,000 pages†	372 mm x 302 mm x 203 mm (14.65 in. x 11.89 in. x 7.99 in.)	CLP-320 / 320N, 325 / 325W CLX-3185 / 3185N / 3185W, 3185FN / 3185FW
CLT-P407B CLT-P4072B (EU)	Color	Value pack (K+K)	Black and white average 1,500 standard pages 4 x 2	372 mm x 302 mm x 203 mm (14.65 in. x 11.89 in. x 7.99 in.)	CLP-320 / 320N, 325 / 325W CLX-3185 / 3185N / 3185W, 3185FN / 3185FW
CLP-C350A	Color	Cyan toner cartridge	Average 2,000 standard pages*	143 mm x 60 mm x 59 mm (5.63 in. x 2.36 in. x 2.32 in.)	CLP-350N
CLP-M350A	Color	Magenta toner cartridge	Average 2,000 standard pages*	143 mm x 60 mm x 59 mm (5.63 in. x 2.36 in. x 2.32 in.)	CLP-350N
CLP-Y350A	Color	Yellow toner cartridge	Average 2,000 standard pages*	143 mm x 60 mm x 59 mm (5.63 in. x 2.36 in. x 2.32 in.)	CLP-350N
CLP-K350A	Color	Black toner cartridge	Average 4,000 standard pages*	143 mm x 92 mm x 85 mm (5.63 in. x 3.62 in. x 3.35 in.)	CLP-350N
CLP-R350A	Color	Imaging unit	Black and white average 20,000 pages† Color average 11,500 pages†	306 mm x 145 mm x 300 mm (12.05 in. x 5.71 in. x 11.81 in.)	CLP-350N
CLP-W350A	Color	Waste toner container	Black and white average 5,000 pages†	150 mm x 148 mm x 109 mm (5.91 in. x 5.83 in. x 4.29 in.)	CLP-350N

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

Color laser printer supplies

CLP-500 / 500N / 550 / 550N

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLP-500D5C	Color	Cyan toner cartridge	Average 5,000 pages at 5% coverage	359 mm x 250 mm x 100 mm (14.13 in. x 9.84 in. x 3.94 in.)	CLP-500 / 500N / 550 / 550N
CLP-500D5M	Color	Magenta toner cartridge	Average 5,000 pages at 5% coverage	359 mm x 250 mm x 100 mm (14.13 in. x 9.84 in. x 3.94 in.)	CLP-500 / 500N / 550 / 550N
CLP-500D5Y	Color	Yellow toner cartridge	Average 5,000 pages at 5% coverage	359 mm x 250 mm x 100 mm (14.13 in. x 9.84 in. x 3.94 in.)	CLP-500 / 500N / 550 / 550N
CLP-500D7K	Color	Black toner cartridge	Average 7,000 pages at 5% coverage	359 mm x 250 mm x 100 mm (14.13 in. x 9.84 in. x 3.94 in.)	CLP-500 / 500N / 550 / 550N
CLP-500RB	Color	Imaging unit	Black and white average 50,000 pages† Color average 12,500 pages†	358 mm x 180 mm x 212 mm (14.9 in. x 7.09 in. x 8.35 in.)	CLP-500 / 500N / 550 / 550N
CLP-500RT	Color	Transfer belt	Black and white average 50,000 pages† Color average 12,500 pages†	375 mm x 275 mm x 117 mm (14.76 in. x 10.83 in. x 4.61 in.)	CLP-500 / 500N / 550 / 550N
CLP-500WB	Color	Waste toner container	Black and white average 12,000 pages† Color average 3,000 pages†	356 mm x 225 mm x 75 mm (14.02 in. x 8.86 in. x 2.95 in.)	CLP-500 / 500N / 550 / 550N

† This may vary depending on average area coverage.

CLP-510 / 510N

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLP-510D2C	Color	Cyan toner cartridge	Average 2,000 pages at 5% coverage	359 mm x 250 mm x 100 mm (14.13 in. x 9.84 in. x 3.94 in.)	CLP-510 / 510N
CLP-510D2M	Color	Magenta toner cartridge	Average 2,000 pages at 5% coverage	359 mm x 250 mm x 100 mm (14.13 in. x 9.84 in. x 3.94 in.)	CLP-510 / 510N
CLP-510D2Y	Color	Yellow toner cartridge	Average 2,000 pages at 5% coverage	359 mm x 250 mm x 100 mm (14.13 in. x 9.84 in. x 3.94 in.)	CLP-510 / 510N
CLP-510D3K	Color	Black toner cartridge	Average 3,000 pages at 5% coverage	359 mm x 250 mm x 100 mm (14.13 in. x 9.84 in. x 3.94 in.)	CLP-510 / 510N
CLP-510D5C	Color	Cyan toner cartridge	Average 5,000 pages at 5% coverage	359 mm x 250 mm x 100 mm (14.13 in. x 9.84 in. x 3.94 in.)	CLP-510 / 510N
CLP-510D5M	Color	Magenta toner cartridge	Average 5,000 pages at 5% coverage	359 mm x 250 mm x 100 mm (14.13 in. x 9.84 in. x 3.94 in.)	CLP-510 / 510N
CLP-510RB	Color	Imaging unit	Black and white average 50,000 pages† Color average 12,500 pages†	358 mm x 180 mm x 212 mm (14.09 in. x 7.09 in. x 8.35 in.)	CLP-510 / 510N
CLP-510RT	Color	Transfer belt	Black and white average 50,000 pages† Color average 12,500 pages†	375 mm x 275mm x 117 mm (14.76 in. x 10.83 in. x 4.61 in.)	CLP-510 / 510N

† This may vary depending on average area coverage.

Color laser printer supplies

CLP-600 / 600N / 650 / 650N

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLP-C600A	Color	Cyan toner cartridge	Average 4,000 standard pages*	378 mm x 271 mm x 108 mm (14.88 in. x 10.67 in. x 4.25 in.)	CLP-600 / 600N, 650 / 650N
CLP-K600A	Color	Magenta toner cartridge	Average 4,000 standard pages*	378 mm x 271 mm x 108 mm (14.88 in. x 10.67 in. x 4.25 in.)	CLP-600 / 600N, 650 / 650N
CLP-Y600A	Color	Yellow toner cartridge	Average 4,000 standard pages*	378 mm x 271 mm x 108 mm (14.88 in. x 10.67 in. x 4.25 in.)	CLP-600 / 600N, 650 / 650N
CLP-K600A	Color	Black toner cartridge	Average 4,000 standard pages*	378 mm x 271 mm x 108 mm (14.88 in. x 10.67 in. x 4.25 in.)	CLP-600 / 600N, 650 / 650N
CLP-T600A	Color	Transfer belt	Black average 35,000 pages†	8,399 mm x 347 mm x 133 mm (330.67 in. x 13.66 in. x 5.24 in.)	CLP-600 / 600N, 650 / 650N
CLP-F600A (110V) / B (220V)	Color	Fuser	Black average 50,000 pages†	372 mm x 224 mm x 175 mm (14.65 in. x 8.82 in. x 6.89 in.)	CLP-600 / 600N
CLP-F650A (110V / 220V)	Color	Fuser	Black average 50,000 pages†	372 mm x 224 mm x 175 mm (14.65 in. x 8.82 in. x 6.89 in.)	CLP-650 / 650N

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

CLP-610ND / 660N / 660ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLP-C660A	Color	Cyan toner cartridge	Average 2,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 7.96 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-M660A	Color	Magenta toner cartridge	Average 2,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 7.96 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-Y660A	Color	Yellow toner cartridge	Average 2,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 7.96 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-K660A	Color	Black toner cartridge	Average 2,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 7.96 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-C660B	Color	Cyan toner cartridge	Average 5,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 7.96 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-M660B	Color	Magenta toner cartridge	Average 5,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 7.96 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-Y660B	Color	Yellow toner cartridge	Average 5,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 7.96 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-K660B	Color	Black toner cartridge	Average 5,500 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 7.96 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-T660B	Color	Paper transfer belt	Average 50,000 pages†	384.5 mm x 263.9 mm x 112.5 mm (15.14 in. x 10.39 in. x 4.43 in.)	CLP-610ND / 660N / 660ND CLX-6210FX

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

Color laser printer supplies

CLP-620ND / 670N / 670ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLT-C508S / L CLT-C5082S / L (EU)	Color	Cyan toner cartridge	Average 2,000 / 4,000 standard pages¢	402 mm x 257 mm x 110 mm (15.83 in. x 10.12 in. x 4.33 in.)	CLP-620ND / 670N / 670ND CLX-6220FX / 6250FX
CLT-M508S / L CLT-M5082S / L (EU)	Color	Magenta toner cartridge	Average 2,000 / 4,000 standard pages¢	402 mm x 257 mm x 110 mm (15.83 in. x 10.12 in. x 4.33 in.)	CLP-620ND / 670N / 670ND CLX-6220FX / 6250FX
CLT-Y508S CLT-Y5082S / L (EU)	Color	Yellow toner cartridge	Average 2,000 / 4,000 standard pages¢	402 mm x 257 mm x 110 mm (15.83 in. x 10.12 in. x 4.33 in.)	CLP-620ND / 670N / 670ND CLX-6220FX / 6250FX
CLT-K508S / L CLT-K5082S / L (EU)	Color	Black toner cartridge	Average 2,500 / 5,000 standard pages¢	402 mm x 257 mm x 110 mm (15.83 in. x 10.12 in. x 4.33 in.)	CLP-620ND / 670N / 670ND CLX-6220FX / 6250FX
CLT-T508	Color	Paper transfer belt	Average 50,000 pages†	384.5 mm x 263.9 mm x 112.5 mm (15.14 in. x 10.39 in. x 4.43 in.)	CLP-620ND / 670N / 670ND CLX-6220FX / 6250FX, 775ND

¢ Declared yield value in accordance with ISO / IEC 19798
† This may vary depending on average area coverage.

CLP-770ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLT-C609S CLT-C6092S (EU)	Color	Cyan toner cartridge	Average 7,000 standard pages*	405 mm x 280 mm x 157 mm (15.94 in. x 11.02 in. x 6.18 in.)	CLP-775ND, 770ND
CLT-M609S CLT-M6092S (EU)	Color	Magenta toner cartridge	Average 7,000 standard pages*	405 mm x 280 mm x 157 mm (15.94 in. x 11.02 in. x 6.18 in.)	CLP-775ND, 770ND
CLT-Y609S CLT-Y6092S (EU)	Color	Yellow toner cartridge	Average 7,000 standard pages*	405 mm x 280 mm x 157 mm (15.94 in. x 11.02 in. x 6.18 in.)	CLP-775ND, 770ND
CLT-K609S CLT-K6092S (EU)	Color	Black toner cartridge	Average 7,000 standard pages*	405 mm x 280 mm x 157 mm (15.94 in. x 11.02 in. x 6.18 in.)	CLP-775ND, 770ND
CLT-T609	Color	Paper transfer belt	Average 50,000 pages†	384.5 mm x 263.9 mm x 112.5 mm (15.14 in. x 10.39 in. x 4.43 in.)	CLP-770ND

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

Color laser printer supplies

CLP-775ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLT-C609S CLT-C6092S (EU)	Color	Cyan toner cartridge	Average 7,000 standard pages*	405 mm x 280 mm x 157 mm (15.94 in. x 11.02 in. x 6.18 in.)	CLP-775ND, 770ND
CLT-M609S CLT-M6092S (EU)	Color	Magenta toner cartridge	Average 7,000 standard pages*	405 mm x 280 mm x 157 mm (15.94 in. x 11.02 in. x 6.18 in.)	CLP-775ND, 770ND
CLT-Y609S CLT-Y6092S (EU)	Color	Yellow toner cartridge	Average 7,000 standard pages*	405 mm x 280 mm x 157 mm (15.94 in. x 11.02 in. x 6.18 in.)	CLP-775ND, 770ND
CLT-K609S CLT-K6092S (EU)	Color	Black toner cartridge	Average 7,000 standard pages*	405 mm x 280 mm x 157 mm (15.94 in. x 11.02 in. x 6.18 in.)	CLP-775ND, 770ND
CLT-T508	Color	Paper transfer belt	Average 50,000 pages†	384.5 mm x 263.9 mm x 112.5 mm (15.14 in. x 10.39 in. x 4.43 in.)	CLP-620ND / 670N / 670ND, 775ND CLX-6220FX / 6250FX

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

CLX-2160 / 2160N

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLP-C300A	Color	Cyan toner cartridge	1,000 standard pages	64 mm x 64 mm x 93 mm (2.52 in. x 2.52 in. x 3.66 in.)	CLP-300 / 300N CLX-2160 / 2160N, 3160N / 3160FN
CLP-M300A	Color	Magenta toner cartridge	Average 1,000 standard pages	64 mm x 64 mm x 93 mm (2.52 in. x 2.52 in. x 3.66 in.)	CLP-300 / 300N CLX-2160 / 2160N, 3160N / 3160FN
CLP-Y300A	Color	Yellow toner cartridge	Average 1,000 standard pages	64 mm x 64 mm x 93 mm (2.52 in. x 2.52 in. x 3.66 in.)	CLP-300 / 300N CLX-2160 / 2160N, 3160N / 3160FN
CLP-K300A	Color	Black toner cartridge	Average 2,000 standard pages	80 mm x 80 mm x 95 mm (3.15 in. x 3.15 in. x 3.78 in.)	CLP-300 / 300N CLX-2160 / 2160N, 3160N / 3160FN
CLP-R300A	Color	Imaging unit	Black and white average 20,000 pages	304 mm x 264 mm x 150 mm (11.97 in. x 10.39 in. x 5.91 in.)	CLP-300 / 300N / 3160N / 3160FN / 2160 / 2160N
CLP-W300A	Color	Waste toner container	Black and white average 5,000 pages Color average 1,250 pages	107 mm x 92.5 mm x 132 mm (4.21 in. x 3.64 in. x 5.2 in.)	CLP-300 / 300N / 3160N / 3160FN / 2160 / 2160N
CLP-P300C	Color	Value pack (C+M+Y+K)	Cyan, magenta, yellow toner average 1,000 standard pages Black toner average 2,000 standard pages	206 mm x 210 mm x 107 mm (8.11 in. x 8.27 in. x 4.21 in.)	CLP-300 / 300N / 3160N / 3160FN / 2160 / 2160N
CLP-C300A	Color	Cyan toner cartridge	1,000 standard pages*	64 mm x 64 mm x 93 mm (2.52 in. x 2.52 in. x 3.66 in.)	CLP-300 / 300N, CLX-2160 / 2160N CLX-3160N / 3160FN
CLP-M300A	Color	Magenta toner cartridge	Average 1,000 standard pages*	64 mm x 64 mm x 93 mm (2.52 in. x 2.52 in. x 3.66 in.)	CLP-300 / 300N, CLX-2160 / 2160N CLX-3160N / 3160FN
CLP-Y300A	Color	Yellow toner cartridge	Average 1,000 standard pages*	64 mm x 64 mm x 93 mm (2.52 in. x 2.52 in. x 3.66 in.)	CLP-300 / 300N, CLX-2160 / 2160N CLX-3160N / 3160FN
CLP-K300A	Color	Black toner cartridge	Average 2,000 standard pages*	80 mm x 80 mm x 95 mm (3.15 in. x 3.15 in. x 3.78 in.)	CLP-300 / 300N, CLX-2160 / 2160N CLX-3160N / 3160FN
CLP-R300A	Color	Imaging unit	Black and white average 20,000 pages†	304 mm x 264 mm x 150 mm (11.97 in. x 10.39 in. x 5.91 in.)	CLP-300 / 300N / 3160N / 3160FN / 2160 / 2160N
CLP-W300A	Color	Waste toner container	Black and white average 5,000 pages† Color average 1,250 pages†	107 mm x 92.5 mm x 132 mm (4.21 in. x 3.64 in. x 5.2 in.)	CLP-300 / 300N / 3160N / 3160FN / 2160 / 2160N
CLP-P300C	Color	Value pack (C+M+Y+K)	Cyan, magenta, yellow toner average 1,000 standard pages* Black toner average 2,000 standard pages*	206 mm x 210 mm x 107 mm (8.11 in. x 8.27 in. x 4.21 in.)	CLP-300 / 300N / 3160N / 3160FN / 2160 / 2160N

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

Color multifunction printer supplies

CLX-3170FN / 3175N / 3175FN / 3175FW

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLT-C409S / CLT-C4092S (EU)	Color	Cyan toner cartridge	Average 1,000 standard pages*	340 mm x 196 mm x 73 mm (13.39 in. x 7.72 in. x 2.87 in.)	CLP-310 / 310N, 315 / 315W CLX-3170FN, 3175 / N / FN / FW
CLT-M409S / CLT-M4092S (EU)	Color	Magenta toner cartridge	Average 1,000 standard pages*	340 mm x 196 mm x 73 mm (13.39 in. x 7.72 in. x 2.87 in.)	CLP-310 / 310N, 315 / 315W CLX-3170FN, 3175 / N / FN / FW
CLT-Y409S / CLT-Y4092S (EU)	Color	Yellow toner cartridge	Average 1,000 standard pages*	340 mm x 196 mm x 73 mm (13.39 in. x 7.72 in. x 2.87 in.)	CLP-310 / 310N, 315 / 315W CLX-3170FN, 3175 / N / FN / FW
CLT-K409S / CLT-K4092S (EU)	Color	Black toner cartridge	Average 1,500 standard pages*	340 mm x 196 mm x 73 mm (13.39 in. x 7.72 in. x 2.87 in.)	CLP-310 / 310N, 315 / 315W CLX-3170FN, 3175 / N / FN / FW
CLP-R409	Color	Imaging unit	Black and white average 24,000 pages† Color average 6,000 pages†	339 mm x 174 mm x 298 mm (13.35 in. x 6.85 in. x 11.73 in.)	CLP-310 / N, 315 / W CLX-3170FN, 3175 / N / FN / FW
CLP-W409	Color	Waste toner container	Black and white average 10,000 pages† Color average 2,500 pages†	119 mm x 73 mm x 170 mm (4.69 in. x 2.87 in. x 6.69 in.)	CLP-310 / N, 315 / W, 320 / N, 325 / W CLX-3170FN, 3175 / N / FN / FW, 3185 / N, 3185FN / FW
CLT-P409B CLT-P4092B (EU)	Color	Value pack (K+K)	Black average 1,500 standard pages x 2	518 mm x 239 mm x 339 mm (20.39 in. x 9.41 in. x 13.35 in.)	CLP-310 / N, 315 / W CLX-3170FN, 3175 / N / FN / FW
CLT-P409C CLT-P4092C (EU)	Color	Value pack (C+M+Y+K)	Black and white average 1,500 pages† Color average 1,000 pages†	446 mm x 405 mm x 301 mm (17.56 in. x 15.94 in. x 11.85 in.)	CLP-310 / N, 315 / W CLX-3170FN, 3175 / N / FN / FW

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

CLX-3185 / 3185N / 3185FN / 3185FW

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLT-C407S / CLT-C4072S (EU)	Color	Cyan toner cartridge	Average 1,000 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-320 / 320N, 3185FN / FW CLX-3185 / N / W, 325 / 325W
CLT-M407S / CLT-M4072S (EU)	Color	Magenta toner cartridge	Average 1,000 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-325 / 325W, 320 / 320N CLX-3185 / N / W, 3185FN / FW
CLT-Y407S / CLT-Y4072S (EU)	Color	Yellow toner cartridge	1,000 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-325 / 325W, 320 / 320N CLX-3185 / N / W, 3185FN / FW
CLT-K407S / CLT-K4072S (EU)	Color	Black toner cartridge	Average 1,500 standard pages¢	363 mm x 183 mm x 73 mm (14.29 in. x 7.2 in. x 2.87 in.)	CLP-325 / 325W, 320 / 320N CLX-3185 / N / W, 3185FN / FW
CLT-R407	Color	Imaging unit	Black and white average 24,000 pages† Color average 6,000 pages†	339 mm x 174 mm x 298 mm (13.35 in. x 6.85 in. x 11.73 in.)	CLP-320 / N, 325 / W CLX-3185 / N / W, 3185FN / FW
CLP-W409	Color	Waste toner container	Black and white average 10,000 pages† Color average 2,500 pages†	119 mm x 73 mm x 170 mm (4.69 in. x 2.87 in. x 6.69 in.)	CLP-310 / N, 315 / W, 320 / N, 325 / W CLX-3170FN, 3175 / N / FN / FW, 3185 / N, 3185FN / FW

¢ Declared yield value in accordance with ISO / IEC 19798
† This may vary depending on average area coverage.

Color multifunction printer supplies

CLX-6200ND / FX / 6210FX / 6240FX

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLP-C660A	Color	Cyan toner cartridge	Average 2,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 11.1 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-M660A	Color	Magenta toner cartridge	Average 2,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 11.1 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-Y660A	Color	Yellow toner cartridge	Average 2,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 11.1 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-K660A	Color	Black toner cartridge	Average 2,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 11.1 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-C660B	Color	Cyan toner cartridge	Average 5,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 11.1 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-M660B	Color	Magenta toner cartridge	Average 5,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 11.1 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-Y660B	Color	Yellow toner cartridge	Average 5,000 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 11.1 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-K660B	Color	Black toner cartridge	Average 5,500 standard pages*	406 mm x 282 mm x 157 mm (15.98 in. x 11.1 in. x 6.18 in.)	CLP-610ND / 660N / 660ND CLX-6210FX
CLP-K660B	Color	Paper transfer belt	Average 50,000 pages†	384.5 mm x 263.9 mm x 112.5 mm (15.14 in. x 10.39 in. x 4.43 in.)	CLP-610ND / 660N / 660ND CLX-6210FX

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

CLX-6220FX / 6250FX

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLT-C508S / L CLT-C5082S / L (EU)	Color	Cyan toner cartridge	Average 2,000 / 4,000 standard pages¢	402 mm x 257 mm x 110 mm (15.83 in. x 10.12 in. x 4.33 in.)	CLP-620ND / 670N / 670ND CLX-6220FX / 6250FX
CLT-M508S / L CLT-M5082S / L (EU)	Color	Magenta toner cartridge	Average 2,000 / 4,000 standard pages¢	402 mm x 257 mm x 110 mm (15.83 in. x 10.12 in. x 4.33 in.)	CLP-620ND / 670N / 670ND CLX-6220FX / 6250FX
CLT-Y508S CLT-Y5082S / L (EU)	Color	Yellow toner cartridge	Average 2,000 / 4,000 standard pages¢	402 mm x 257 mm x 110 mm (15.83 in. x 10.12 in. x 4.33 in.)	CLP-620ND / 670N / 670ND CLX-6220FX / 6250FX
CLT-K508S / L CLT-K5082S / L (EU)	Color	Black toner cartridge	Average 2,500 / 5,000 standard pages¢	402 mm x 257 mm x 110 mm (15.83 in. x 10.12 in. x 4.33 in.)	CLP-620ND / 670N / 670ND CLX-6220FX / 6250FX
CLT-T508	Color	Paper transfer belt	Average 50,000 pages†	384.5 mm x 263.9 mm x 112.5 mm (15.14 in. x 10.39 in. x 4.43 in.)	CLP-620ND / 670N / 670ND CLX-6220FX / 6250FX, CLP-775ND

¢ Declared yield value in accordance with ISO / IEC 19798
† This may vary depending on average area coverage.

Color multifunction printer supplies

MultiXpress C8380ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLX-C8380A	Color	Cyan toner cartridge	Average 15,000 standard pages*	446 mm x 117 mm x 133 mm (17.56 in. x 4.61 in. x 5.24 in.)	MultiXpress C8380ND
CLX-M8380A	Color	Magenta toner cartridge	Average 15,000 standard pages*	446 mm x 117 mm x 133 mm (17.56 in. x 4.61 in. x 5.24 in.)	MultiXpress C8380ND
CLX-Y8380A	Color	Yellow toner cartridge	Average 15,000 standard pages*	446 mm x 117 mm x 133 mm (17.56 in. x 4.61 in. x 5.24 in.)	MultiXpress C8380ND
CLX-K8380A	Color	Black toner cartridge	Average 2,000 standard pages*	448 mm x 127 mm x 171 mm (17.64 in. x 5 in. x 6.73 in.)	MultiXpress C8380ND
CLX-R838XC	Color	Cyan toner cartridge	Average 30,000 standard pages†	374 mm x 357 mm x 126 mm (14.72 in. x 14.06 in. x 4.96 in.)	MultiXpress C8380ND
CLX-R838XM	Color	Magenta toner cartridge	Average 30,000 standard pages†	374 mm x 357 mm x 126 mm (14.72 in. x 14.06 in. x 4.96 in.)	MultiXpress C8380ND
CLX-R838XY	Color	Yellow toner cartridge	Average 30,000 standard pages†	374 mm x 357 mm x 126 mm (14.72 in. x 14.06 in. x 4.96 in.)	MultiXpress C8380ND
CLX-R838XK	Color	Black toner cartridge	Average 30,000 standard pages†	374 mm x 357 mm x 126 mm (14.72 in. x 14.06 in. x 4.96 in.)	MultiXpress C8380ND
CLX-W8380A	Color	Waste toner container	Average 75,000 standard pages†	446 mm x 125 mm x 171 mm (17.56 in. x 4.92 in. x 6.73 in.)	MultiXpress C8380ND / C8385ND
CLX-K8385A	Color	Black toner cartridge	Average 20,000 standard pages*	446 mm x 125 mm x 171 mm (17.56 in. x 4.92 in. x 6.73 in.)	MultiXpress C8380ND

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

MultiXpress C8385ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLX-C8385A	Color	Cyan toner cartridge	Average 15,000 standard pages*	446 mm x 117 mm x 133 mm (17.56 in. x 4.61 in. x 5.24 in.)	MultiXpress C8385ND
CLX-M8385A	Color	Magenta toner cartridge	Average 15,000 standard pages*	446 mm x 117 mm x 133 mm (17.56 in. x 4.61 in. x 5.24 in.)	MultiXpress C8385ND
CLX-Y8385A	Color	Yellow toner cartridge	Average 15,000 standard pages*	446 mm x 117 mm x 133 mm (17.56 in. x 4.61 in. x 5.24 in.)	MultiXpress C8385ND
CLX-R8385C	Color	Cyan toner cartridge	Average 30,000 standard pages†	374 mm x 357 mm x 126 mm (14.72 in. x 14.06 in. x 4.96 in.)	MultiXpress C8385ND
CLX-R8385M	Color	Magenta toner cartridge	Average 30,000 standard pages†	374 mm x 357 mm x 126 mm (14.72 in. x 14.06 in. x 4.96 in.)	MultiXpress C8385ND
CLX-R8385Y	Color	Yellow toner cartridge	Average 30,000 standard pages†	374 mm x 357 mm x 126 mm (14.72 in. x 14.06 in. x 4.96 in.)	MultiXpress C8385ND
CLX-R8385K	Color	Black imaging unit	Average 30,000 standard pages†	374 mm x 357 mm x 126 mm (14.72 in. x 14.06 in. x 4.96 in.)	MultiXpress C8385ND
CLX-W8380A	Color	Waste toner container	Average 75,000 standard pages†	446 mm x 125 mm x 171 mm (17.56 in. x 4.92 in. x 6.73 in.)	MultiXpress C8380ND / C8385ND

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)
† This may vary depending on average area coverage.

Color multifunction printer supplies

MultiXpress C9250ND / C9350ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
CLT-C606S CLT-C6062S (EU)	Color	Cyan toner cartridge	Average 20,000 standard pages*	535 mm x 148 mm x 138 mm (21.06 in. x 5.83 in. x 5.43 in.)	MultiXpress C8380ND
CLT-M606S CLT-M6062S (EU)	Color	Magenta toner cartridge	Average 20,000 standard pages*	535 mm x 148 mm x 138 mm (21.06 in. x 5.83 in. x 5.43 in.)	MultiXpress C8380ND
CLT-Y606S CLT-Y6062S (EU)	Color	Yellow toner cartridge	Average 20,000 standard pages*	535 mm x 148 mm x 138 mm (21.06 in. x 5.83 in. x 5.43 in.)	MultiXpress C8380ND
CLT-K606S CLT-K6062S (EU)	Color	Black toner cartridge	Average 25,000 standard pages*	535 mm x 148 mm x 138 mm (21.06 in. x 5.83 in. x 5.43 in.)	MultiXpress C8380ND
CLT-C607S CLT-C6072S (EU)	Color	Cyan toner cartridge	Average 15,000 standard pages*	535 mm x 148 mm x 138 mm (21.06 in. x 5.83 in. x 5.43 in.)	MultiXpress C8380ND
CLT-M607S CLT-M6072S (EU)	Color	Magenta toner cartridge	Average 15,000 standard pages*	535 mm x 148 mm x 138 mm (21.06 in. x 5.83 in. x 5.43 in.)	MultiXpress C8380ND
CLT-Y607S CLT-Y6072S (EU)	Color	Yellow toner cartridge	Average 15,000 standard pages*	535 mm x 148 mm x 138 mm (21.06 in. x 5.83 in. x 5.43 in.)	MultiXpress C8380ND
CLT-R607C	Color	Cyan toner cartridge	Average 75,000 standard pages*	599 mm x 176 mm x 150 mm (23.58 in. x 6.93 in. x 5.91 in.)	MultiXpress C8380ND
CLT-R607M	Color	Magenta toner cartridge	Average 75,000 standard pages*	599 mm x 176 mm x 150 mm (23.58 in. x 6.93 in. x 5.91 in.)	MultiXpress C8380ND / C8385ND
CLT-R607Y	Color	Yellow toner cartridge	Average 75,000 standard pages*	599 mm x 176 mm x 150 mm (23.58 in. x 6.93 in. x 5.91 in.)	MultiXpress C8380ND
CLT-R607K	Color	Black toner cartridge	Average 75,000 standard pages*	599 mm x 176 mm x 150 mm (23.58 in. x 6.93 in. x 5.91 in.)	MultiXpress C8380ND
CLT-W606	Color	Black toner cartridge	Average 75,000 standard pages*	446 mm x 125 mm x 171 mm (17.56 in. x 4.92 in. x 6.73 in.)	MultiXpress C8380ND

* Declared continuous cartridge yield value in accordance with ISO / IEC 19798:2006(E)

ML-1010

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-1210D3	Mono	Black toner cartridge	Average 2,500 pages at 5% coverage	338 mm x 171 mm x 122 mm (13.31 in. x 6.73 in. x 4.8 in.)	ML-1210 / 1210D / 1210Z / 1220M / 1220MD / 1220MR, ML-1250 / 1250D / 1250Z, ML-1430

ML-1210 / 1220M / 1250

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-1210D3	Mono	Black toner cartridge	Average 2,500 pages at 5% coverage	338 mm x 171 mm x 122 mm (13.31 in. x 6.73 in. x 4.8 in.)	ML-1210 / 1210D / 1210Z / 1220M / 1220MD / 1220MR, ML-1250 / 1250D / 1250Z, ML-1430

ML-1430

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-1210D3	Mono	Black toner cartridge	Average 2,500 pages at 5% coverage	338 mm x 171 mm x 122 mm (13.31 in. x 6.73 in. x 4.8 in.)	ML-1210 / 1210D / 1210Z / 1220M / 1220MD / 1220MR, ML-1250 / 1250D / 1250Z, ML-1430

ML-1500 / 1510

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-1710D3	Mono	Black toner cartridge	Average 3,000 pages at IDC 5% coverage	328 mm x 168 mm x 118 mm (12.91 in. x 6.61 in. x 4.65 in.)	ML-1410 / 1500 / 1510 / 1510B, ML-1710 / 1710B / 1710D / 1710P / 1750 / 1755 / ML-1740

ML-1520

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-1520D3	Mono	Black toner cartridge	Average 3,000 standard pagesλ	328 mm x 168 mm x 118 mm (12.91 in. x 6.61 in. x 4.65 in.)	ML-1520 / 1515 / 1520P

λ Declared cartridge yield value in accordance with ISO / IEC 19752

Color multifunction printer supplies

ML-1620 / 1625 / 1625R

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-1610D2	Mono	Black toner cartridge	Average 2,000 standard pagesλ	325 mm x 150 mm x 118 mm (12.8 in. x 5.91 in. x 4.65 in.)	ML-1610 / 1610R / 1615 / 1620 / 1625 / 1625R

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-1620 / 1625 / 1625R

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-1610D2	Mono	Black toner cartridge	Average 2,000 standard pagesλ	325 mm x 150 mm x 118 mm (12.8 in. x 5.91 in. x 4.65 in.)	ML-1610 / 1610R / 1615 / 1620 / 1625 / 1625R

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-1630 / 1630W

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-D1630A	Mono	Black toner cartridge	Average 2,000 standard pagesλ	326 mm x 89 mm x 191 mm (12.83 in. x 3.5 in. x 7.52 in.)	ML-1630 / 1630W, SCX-4500 / 4500W

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-1640

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D108S MLT-D1082S (EU)	Mono	Black toner cartridge	Average 1,500 standard pagesλ	330 mm x 113 mm x 164 mm (12.99 in. x 4.45 in. x 6.46 in.)	ML-1640, ML-2240

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-1660 / 1665 / 1670 / 1675 / 1860 / 1865 / 1865W

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D104X	Mono	Black toner cartridge	Average 700 standard pagesλ	336 mm x 156 mm x 144 mm (13.23 in. x 6.14 in. x 5.67 in.)	ML-1660 / 1860, ML-1665 / 1865 / 1865W, ML-1670 / 1673 / 1674 / , 1675 / 1678, SCX-3200, SCX-3205 / 3205W

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-1710 / 1710P / 1750

Laser supply item	Color /mono	Description	Yield	Package size	Compatibility
ML-1710D3	Mono	Black toner cartridge	Average 3,000 pages at IDC 5% coverage	328 mm x 168 mm x 118 mm (12.91 in. x 6.61 in. x 4.65 in.)	ML-1410 / 1500 / 1510 / 1510B, ML-1710 / 1710B / 1710D / 1710P / 1750 / 1755 / ML-1740

ML-1740

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-1710D3	Mono	Black toner cartridge	Average 3,000 pages at IDC 5% coverage	328 mm x 168 mm x 118 mm (12.91 in. x 6.61 in. x 4.65 in.)	ML-1410 / 1500 / 1510 / 1510B, ML-1710 / 1710B / 1710D / 1710P / 1750 / 1755 / ML-1740

ML-2010R / 2010PR / 2015

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-2010D3	Mono	Black toner cartridge	Average 3,000 standard pagesλ	325 mm x 150 mm x 118 mm (12.8 in. x 5.91 in. x 4.65 in.)	ML-2010 / 2010R / 2015 / 2010P / 2010PR, ML-2510 / 2570 / 2571N

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-2150 / 2151N / 2152W

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-2150D8	Mono	Black toner cartridge	Average 8,000 standard pagesλ	365 mm x 245 mm x 175 mm (14.37 in. x 9.65 in. x 6.89 in.)	ML-2150 / 2151N / 2155W / 2155N

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-2160 / 2165 / 2165W

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D101S	Mono	Black toner cartridge	Average 1,500 standard pagesλ	326 mm × 158 mm × 108 mm (12.86 in. x 6.22 in. x 4.25 in.)	ML-2160 / 2165 / 2165W, SCX-3400 / 3405 / 3405W / 3400F / 3405F / 3405FW, SF-760P

λ Declared cartridge yield value in accordance with ISO / IEC 19752

Color multifunction printer supplies

ML-2240

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D108S MLT-D1082S (EU)	Mono	Black toner cartridge	Average 1,500 standard pagesλ	330 mm x 113 mm x 164 mm (12.99 in. x 4.45 in. x 6.46 in.)	ML-1640, ML-2240

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-2245

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D106S	Mono	Black toner cartridge	Average 2,000 standard pagesλ	281 mm x 92 mm x 53 mm (11.06 in. x 3.62 in. x 2.09 in.)	ML-2245
MLT-R106	Mono	Imaging unit	Average 12,000 pagesλ	378 mm x 132 mm x 218 mm (14.88 in. x 5.2 in. x 8.58 in.)	ML-2245

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-2250 / 2251N / 2251NP / 2252W

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-2250D5	Mono	Black toner cartridge	Average 5,000 standard pagesλ	338 mm x 206 mm x 138 mm (13.31 in. x 8.11 in. x 5.43 in.)	ML-2250 / 2251N / 2251NP / 2252W

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-2510 / 2570 / 2571N

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-2010D3	Mono	Black toner cartridge	Average 3,000 standard pagesλ	325 mm x 150 mm x 118 mm (12.8 in. x 5.91 in. x 4.65 in.)	ML-2010 / 2010R / 2015 / 2010P / 2010PR, ML-2510 / 2570 / 2571N

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-2510 / 2570 / 2571N

Laser supply item	Color /mono	Description	Yield	Package size	Compatibility
MLT-D105S / MLT-D1052S (EU) / MLT-D1053S (China, India)	Mono	Black toner cartridge	Average cartridge yield 1,500 standard pagesλ	340 mm x 190 mm x 85 mm (13.39 in. x 7.48 in. x 3.35 in.)	ML-2580N, ML-1910 / 1915 / 2525, ML-2540 / 2545, SCX-4600 / 4623F / 4623FN, SF-650 / 650P
MLT-D102L	Mono	Black toner cartridge	Average 2,500 standard pagesλ	340 mm x 190 mm x 85 mm (13.39 in. x 7.48 in. x 3.35 in.)	ML-2541, ML-2546
ML-2010D3	Mono	Black toner cartridge	Average cartridge yield 2,500 standard pagesλ	340 mm x 190 mm x 85 mm (13.39 in. x 7.48 in. x 3.35 in.)	ML-2580N, ML-1910 / 1915 / 2525, ML-2540 / 2545, SCX-4600 / 4623F / 4623FN, SF-650 / 650P

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-2550 / 2551N / 2552W

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-2550DA	Mono	Black toner cartridge	Average 10,000 standard pagesλ	370 mm x 250 mm x 180 mm (14.57 in. x 9.84 in. x 7.09 in.)	ML-2550 / 2550N / 2551N / 2552W

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-1910 / 1915 / 2525 / 2580N / 2525W

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D105S / MLT-D1052S (EU) / MLT-D1053S (China, India)	Mono	Black toner cartridge	Average cartridge yield 1,500 standard pagesλ	340 mm x 190 mm x 85 mm (13.39 in. x 7.48 in. x 3.35 in.)	ML-2580N, ML-1910 / 1915 / 2525, ML-2540 / 2545, SCX-4600 / 4623F / 4623FN, SF-650 / 650P
MLT-D105L / MLT-D1052L (EU) / MLT-D1053L (China, India)	Mono	Black toner cartridge	Average cartridge yYield 2,500 standard pagesλ	340 mm x 190 mm x 85 mm (13.39 in. x 7.48 in. x 3.35 in.)	ML-2580N, ML-1910 / 1915 / 2525, ML-2540 / 2545, SCX-4600 / 4623F / 4623FN, SF-650 / 650P

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-2850D / 2851ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-D2850A	Mono	Black toner cartridge	Average 2,000 standard pagesλ	337 mm x 287 mm x 103 mm (13.27 in. x 11.3 in. x 4.06 in.)	ML-2850D / 2851ND
ML-D2850B	Mono	Black toner cartridge	Average 5,000 standard pagesλ	337 mm x 287 mm x 103 mm (13.27 in. x 11.3 in. x 4.06 in.)	ML-2850D / 2851ND

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-2855ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D209S / MLT-D2092S (EU)	Mono	Black toner cartridge	Average 2,000 standard pagesλ	337 mm x 287 mm x 103 mm (13.27 in. x 11.3 in. x 4.06 in.)	SCX-4824FN / 4828FN, ML-2855ND
MLT-D209L / MLT-D2092L (EU)	Mono	Black toner cartridge	Average 5,000 standard pagesλ	337 mm x 287 mm x 103 mm (13.27 in. x 11.3 in. x 4.06 in.)	SCX-4824FN / 4828FN, ML-2855ND

λ Declared cartridge yield value in accordance with ISO / IEC 19752

Color multifunction printer supplies

ML-2950ND / 2955ND / 2955DW

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D103S	Mono	Black toner cartridge	Average 1,500 standard pagesλ	193 mm x 91 mm x 341 mm (7.6 in. x 3.58 in. x 13.43 in.)	ML-2950ND / 2955ND / 2955DW, SCX-4728FD / 4729FD / 4729FW
MLT-D103L	Mono	Black toner cartridge	Average 2,500 standard pagesλ	193 mm x 91 mm x 341 mm (7.6 in. x 3.58 in. x 13.43 in.)	ML-2950ND / 2955ND / 2955DW, SCX-4728FD / 4729FD / 4729FW

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-3050 / 3051N / 3051ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-D3050A	Mono	Black toner cartridge	Average 4,000 standard pagesλ	345 mm x 238 mm x 138 mm (13.58 in. x 9.37 in. x 5.43 in.)	ML-3050 / 3051N / 3051ND
ML-D3050B	Mono	Black toner cartridge	Average 8,000 standard pagesλ	345 mm x 238 mm x 138 mm (13.58 in. x 9.37 in. x 5.43 in.)	ML-3050 / 3051N / 3051ND

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-3310D / 3310ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D205S	Mono	Black toner cartridge	Average 2,000 standard pagesλ	353 mm x 253 mm x 150 mm (13.9 in. x 9.95 in. x 5.91 in.)	ML-3310D / 3310ND / 3710D / 3710ND / 3710DW, SCX-4833FD / 4833FR / 5637FR / 5737FW, SCX-4835FD / 4835FR / 5639FR / 5739FW
MLT-D205L	Mono	Black toner cartridge	Average 5,000 standard pagesλ	335 mm x 273 mm x 164 mm (13.9 in. x 9.95 in. x 5.91 in.)	ML-3310D / 3310ND / 3710D / 3710ND / 3710DW, SCX-4833FD / 4833FR / 5637FR / 5737FW, SCX-4835FD / 4835FR / 5639FR / 5739FW

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-3710D / 3710ND / 3710DW

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D205S	Mono	Black toner cartridge	Average 2,000 standard pagesλ	353 mm x 253 mm x 150 mm (13.9 in. x 9.95 in. x 5.91 in.)	ML-3310D / 3310ND / 3710D / 3710ND / 3710DW, SCX-4833FD / 4833FR / 5637FR / 5737FW, SCX-4835FD / 4835FR / 5639FR / 5739FW
MLT-D205L	Mono	Black toner cartridge	Average 5,000 standard pagesλ	335 mm x 273 mm x 164 mm (13.19 in. x 10.75 in. x 6.46 in.)	ML-3310D / 3310ND / 3710D / 3710ND / 3710DW, SCX-4833FD / 4833FR / 5637FR / 5737FW, SCX-4835FD / 4835FR / 5639FR / 5739FW
MLT-D205E	Mono	Black toner cartridge	Average 10,000 standard pagesλ	335 mm x 273 mm x 164 mm (13.19 in. x 10.75 in. x 6.46 in.)	ML-3710D / 3710ND / 3710DW, SCX-5639FR / 5739FW, SCX-5637FR / 5737FW

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-3710D / 3710ND / 3710DW

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-D3470A	Mono	Black toner cartridge	Average 4,000 standard pagesλ	347 mm x 135 mm x 238 mm (13.67 in. x 5.31 in. x 9.37 in.)	ML-3470D / 3471ND
ML-D3470A	Mono	Black toner cartridge	Average 10,000 standard pagesλ	347 mm x 135 mm x 238 mm (13.67 in. x 5.31 in. x 9.37 in.)	ML-3470D / 3471ND

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-3560 / 3561N / 3561ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-3560D6	Mono	Black toner cartridge	Average 6,000 standard pagesλ	372 mm x 275 mm x 179 mm (14.65 in. x 10.83 in. x 7.05 in.)	ML-3560 / 3561N / 3561ND
ML-3560DB	Mono	Black toner cartridge	Average 12,000 standard pagesλ	372 mm x 275 mm x 179 mm (14.65 in. x 10.83 in. x 7.05 in.)	ML-3560 / 3561N / 3561ND

λ Declared cartridge yield value in accordance with ISO / IEC 19752

Color multifunction printer supplies

ML-3560 / 3561N / 3561ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D305L	Mono	Black toner cartridge (extra high)	Average 15,000 standard pagesλ	334 mm × 264 mm × 174 mm (13.15 in. x 10.39 in. x 6.85 in.)	ML-3750ND

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-4050N

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-D4550A	Mono	Black toner cartridge	Average 10,000 standard pagesλ	370 mm x 286 mm x 180 mm (14.57 in. x 11.26 in. x 7.09 in)	ML-4050N / ML-4550 / 4551N / 4551ND / 4550R / 4551NR / 4551NDR
ML-D4550B	Mono	Black toner cartridge	Average 20,000 standard pagesλ	370 mm x 286 mm x 180 mm (14.57 in. x 11.26 in. x 7.09 in)	ML-4050N / ML-4550 / 4551N / 4551ND / 4550R / 4551NR / 4551NDR

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-4550R / 4551NR / 4551NDR

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
ML-D4550A	Mono	Black toner cartridge	Average 10,000 standard pagesλ	370 mm x 286 mm x 180 mm (14.57 in. x 11.26 in. x 7.09 in)	ML-4050N / ML-4550 / 4551N / 4551ND / 4550R / 4551NR / 4551NDR
ML-D4550B	Mono	Black toner cartridge	Average 20,000 standard pagesλ	370 mm x 286 mm x 180 mm (14.57 in. x 11.26 in. x 7.09 in)	ML-4050N / ML-4550 / 4551N / 4551ND / 4550R / 4551NR / 4551NDR

λ Declared cartridge yield value in accordance with ISO / IEC 19752

ML-4510ND / 5010ND / 5015ND / 4512ND / 5012ND / 5017ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D307S	Mono	Black toner cartridge	Average 7,000 standard pagesλ	365 mm x 188 mm x 184 mm (14.37 in. x 7.4 in. x 7.24 in.)	ML-4510D / 5010ND / 5015ND, ML-4512ND / 5012ND / 5017ND
MLT-D307L	Mono	Black toner cartridge	Average 15,000 standard pagesλ	365 mm x 188 mm x 184 mm (14.37 in. x 7.4 in. x 7.24 in.)	ML-4510D / 5010ND / 5015ND, ML-4512ND / 5012ND / 5017ND
MLT-D307E	Mono	Black toner cartridge	Average 20,000 standard pagesλ	365 mm x 188 mm x 184 mm (14.37 in. x 7.4 in. x 7.24 in.)	ML-4510D / 5010ND / 5015ND, ML-4512ND / 5012ND / 5017ND
MLT-R307	Mono	Imaging unit	Average 60,000 standard pages†	365 mm x 205 mm x 150 mm (14.37 in. x 8.07 in. x 5.91 in.)	ML-4510D / 5010ND / 5015ND, ML-4512ND / 5012ND / 5017ND

λ Declared cartridge yield value in accordance with ISO / IEC 19752
† This may vary depending on average area coverage.

ML-5510N / 5510ND / 6510ND

Laser supply item	Color / mono	Description	Yield	Package size	Compatibility
MLT-D309S	Mono	Black toner cartridge standard	Average 10,000 standard pagesλ	412 mm x 234 mm x 204 mm (16.22 in. x 9.21 in. x 8.03 in.)	ML-5510D / 5510ND / 6510ND, ML-5512ND / 6512ND
MLT-D309L	Mono	Black toner cartridge (high)	Average 30,000 standard pagesλ	412 mm x 234 mm x 204 mm (16.22 in. x 9.21 in. x 8.03 in.)	ML-5510D / 5510ND / 6510ND, ML-5512ND / 6512ND
MLT-R309	Mono	Imaging unit	Average 80,000 standard pagesλ	408 mm x 236 mm x 139 mm (16.06 in. x 9.29 in. x 5.47 in.)	ML-5510D / 5510ND / 6510ND, ML-5512ND / 6512ND

λ Declared cartridge yield value in accordance with ISO / IEC 19752

Legal and additional information

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. is a global leader in semiconductor, telecommunication, digital media and digital convergence technologies with 2011 consolidated sales of US$143.1 billion. Employing approximately 222,000 people in 205 offices across 71 countries, the company operates two separate organizations to coordinate its nine independent business units: Digital Media & Communications, comprising Visual Display, Mobile Communications, Telecommunication Systems, Digital Appliances, IT Solutions, and Digital Imaging; and Device Solutions, consisting of Memory, System LSI and LCD. Recognized for its industry-leading performance across a range of economic, environmental and social criteria, Samsung Electronics was named the world's most sustainable technology company in the 2011 Dow Jones Sustainability Index. For more information, please visit www.samsung.com.

For more information

For more information about Samsung printer supplies or to find a local contact, visit www.samsung.com.

Copyright © 2012 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

1. This information is based on the test results of a 2007 cartridge comparison provided by LGA. Testing was performed on the Samsung CLP-510D7K, CLP-510D5C, CLP-510D5M and CLP-510D5Y laser cartridges. Tests were performed under laboratory conditions. Actual performance may vary.

Samsung Electronics Co., Ltd.
416, Maetan 3-dong,
Yeongtong-gu
Suwon-si, Gyeonggi-do 443-772,
Korea

www.samsung.com